

WELL CHILD EXAM - EARLY CHILDHOOD: 4 YEARS

(Meets EPSDT Guidelines)

DATE		

童年早期:4歳								
	兒童姓名			兒童由誰帶來		出生日期		
B	過敏症			目前用	目前用藥			
	自上次體檢後出現的	病症/事故/問題/擔憂				今天我有一個不明白的問題,關於:		
治童 的								
真寫								
由家長填寫兒童的情況	我的	勺孩子飲食多樣化。 勺孩子能與其他兒童和睦村 勺孩子會自己穿衣。			的孩子能單腳跳路的孩會唱歌。	H _{TI} O		
WEIGHT K	G./OZ. PERCENTILE	HEIGHT CM/IN. PERCENTI	.E BLOOD PRESSURE					
				Diet				
∐ R€	eview of systems	Review of fa	mily history	Eliminat	Elimination			
Screen	nina:			Sleep _				
	g Screen	MHZ R	L	Rev	Review Immunization Record Lead Exposure			
Пеапп	g Screen	4000 2000		Fluo	Fluoride Supplements Fluoride Varnish			
		1000		L Hct/	Hgb	TB Dental	Referral	
		500		Health E	Education: (Che	ck all discussed/handouts giver	1)	
Vision	Screen		20/	Nutr	Nutrition Child Care Development			
	opment: Circle are			Reg	Regular Physical Activities Car Safety/ Booster Seat			
	ve/Cognitive	Language/Communi	cation	Safe	Safety Discipline/Limits/Rules Books/Reading			
Gross Motor Social/Emotional Fine Motor				Passive Smoking Limit TV/Computer Time Helmets				
Behavior N A				Other:				
Mental Health				Assessment/Plan:				
Physic	al:	N A	N A	<u>.</u>				
General appearance Chest								
Skin		Lungs		-				
Head		Abdomen	cular/Pulses					
Eyes Ears		Genitalia		╡				
Nose		Spine		 				
	arynx/Teeth	Extremities		1				
Neck	•	Neurologic		Ī				
Nodes		Gait						
Describe abnormal findings and comments:		IMMUNIZA	IMMUNIZATIONS GIVEN					
			REFERRA	REFERRALS				
	NEXT VISIT: 5 YEARS OF AGE		HEALTH F	HEALTH PROVIDER NAME				
HEALTH PROVIDER SIGNATURE		HEALTH F	HEALTH PROVIDER ADDRESS					
DSHS 13-68	34C CH (REV. 08/2004)					SEE	DICTATION	

DISTRIBUTION: White - Physician Yellow - Parent/Guardian

Guidance to Physicians and Nurse Practitioners for Early Childhood (4 years)

The following highlight EPSDT screens where practitioners often have questions. They are not comprehensive guidelines.

Fluoride Screen

Fluoride supplements should be considered for all children drinking fluoride deficient (<0.6 ppm F) water. Before supplements are prescribed, it is essential to know the fluoride concentration of the patient's drinking water. Once the fluoride level of the water supply has been evaluated, either through contacting the public health officials or water analysis, as well as evaluating other sources of fluoride, the daily dosage schedule can be recommended. Pediatric Dentistry: Reference Manual 1999–00.(21)5.

Lead Screen

Screen children for these risk factors:

- Live in or frequently visit day care center, preschool, baby sitter's home or other structure built before 1950 that is dilapidated or being renovated.
- Come in contact with other children with known lead toxicity (i.e., blood lead 15 ug/dl).
- Live near a lead processing plant or with parents or household members who work in a lead-related occupation (e.g., battery recycling plant).

Developmental Milestones

Always ask about and follow-up on parent concerns about development or behavior. You may use the following screening list, or use the Ages and Stages Questionnaire, the Denver II, or the MacArthur Communication Development Inventory.

Yes	No			
		Dresses with supervision.		
		Plays games with other children (e.g., tag)		
		Says what to do when tired, cold, hungry.		
		Says first and last name when asked.		
		Walks up and down stairs, alternating feet		
		Balances on each foot for 2 seconds.		
		Copies a circle.		
Inappropriate play with toys/no pretend play.				

Instructions for developmental milestones: At least 90% of children should achieve <u>the underlined milestones</u> by this age. If you have checked "no" on any two items, on *even one* of the underlined items, or if you have checked the **boxed item** (abnormal behavior at this age), refer the child for a formal developmental assessment.

Notes: Immunization schedules are from the Advisory Committee on Immunization Practice of the U.S. Centers for Disease Control and Prevention. Parents and providers may call Healthy Mothers, Healthy Babies (1-800-322-2588) with questions or concerns on childhood development.



DSHS 13-684C CH (REV. 08/2004)

健康兒童體檢 - 童年早期:4歳 WELL CHILD EXAM - EARLY CHILDHOOD: 4 YEARS

(符合EPSDT早期定期檢查、診斷和治療指南標準)

日期		

■ 參見口述記錄

童年早期:4歳				
	兒童姓名	兒童由誰帶來 出生日期		
ピ	過敏症	目前用藥		
的情況	自上次體檢後出現的病症/事故/問題/擔憂	今天我有一個不明白的問題,關於:		
調に重				
由家長填寫兒童的情況	是 否	是 否 我的孩子能單腳跳躍。 我的孩會唱歌。		
體重 千克 /				
		飲食		
	系統審核 家族健康史審核	排洩		
檢查: 聽力檢查	MHZ R L 4000 2000 1000	睡眠		
視力檢查	查 20/ 20/	保健教育: (勾劃所有已討論過/已發過相關資料的項目) 一 營養		
發育:	請勾劃出您感到擔心的方面	定期運動 見童車座椅/加固兒童車座		
適應/ 認 大的肌				
行為	正常 完定常	電腦時間		
心理健康	₽ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □			
身體:	正常不正常 正常不正			
整體外標 皮膚	觀			
頭部	□ □ 心血管/脈搏			
眼睛 耳朵		-		
鼻子	□ 脊椎 □ □	<u> </u>		
口咽/牙 頸部	- 歯	<u> </u>		
淋巴結	步態	<u> </u>		
請説明	異常發現,並請加以評論:	已完成的免疫接種		
		中 (1)		
	下次檢查:5歲	保健服務機構名稱		
保健服務核	機構簽名	保健服務機構地址		

童年早期:4歲

4歳小兒的保健

重要標誌。

小兒在4至5歲期間的牛長發育。

地上下樓梯毫無困難。

蹦跳。

用長的語句表達。

談論明天將發生的事和昨天發生過的事。

可以用手指數數。

認識一些字母。

記住自己的地址和電話號碼。

玩打扮的游戲。

您可以在與您的孩子玩耍時幫助她學 會新技能。

若需要幫助或詳細資訊,請聯繫

關於您覺得談論有困難的話題之兒童書籍:請 向您當地的衛生部門或公共圖書館的兒童圖書 部圖書館員詢問。

關於教導孩子懂得防火安全方面的幫助:請與 當地消防站的消防員交談。

子女教養技巧或支持:

家庭幫助專線 1-800-932-HOPE (4673) 西北地區家庭服務資源 1-888-746-9568當地社區學院課程

保健須知

您的孩子在開始入學前需要接受某些免疫注射。您一 定要讓您的孩子儘快接受這些免疫注射。若您決定您 的孩子將不接受某些疫苗注射,您必須簽署一份免除 接種表格。

每天至少為孩子提供五小份水果和蔬菜。這些都是健 康食品和好的零食。

幫助您的孩子獲得足夠的睡眠,這樣她才能更愉快, 學習也會更輕鬆!讓她早一些睡覺,保證晚上有10-12小時的睡眠。利用固定的睡前作息安排讓她安靜下來。睡前讀一段故事或一起交談。

子女教養須知

鼓勵您的孩子用詞語向您敍述他為何感到煩腦或悲傷。您先自己做一遍向他示範。

每天花時間與您的孩子一起閱讀、作游戲或在室外作 活動式的游戲。

兒童會很自然地對自己的身體產生好奇。簡單而誠實 的回答會有助於兒童對自己的身體有正常感。對於私 處應使用真實的名稱。

安全須知

兒童加固車座是為稍大的小兒準備的!在您的孩子長高到足以使用成年人安全帶前,都應在後座使用兒童加固車座以及肩/膝安全帶。不久就會要求使用兒童加固車座,直到兒童滿6歲或60磅為止。

一定要讓您的孩子知道自己的地址和電話號碼。教她如何在緊急情況下撥打911緊急電話。告訴她,若必須打電話求助,就要在線上等候。在家中用玩具電話來練習。

教孩子在衣服著火時止步、脱掉衣服,並在地 上打滾。